Blanco Wash FR. - Version 2 Page 1 of 12

SAFETY DATA SHEET Blanco Wash FR. NOVADAN®

The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 08.05.2018

Revision date 13.01.2021

1.1. Product identifier

NOVADAN®

Product name Blanco Wash FR.

UFI SD40-70FF-1002-KQV3

Article no. 24901, 24902, 24903, 24904

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product group Auto Shampoo containing wax.

Main intended use PC-CLN-17.1 Exterior cleaning products - all vehicle types

Relevant identified uses SU3 Industrial uses: Uses of substances as such or in preparations at industrial

sites

SU22 Professional uses: publicly accessible (administration, education,

entertainment, services, craftsmen)

PC35 Washing and cleaning products (including solvent based products)

PROC19 Manual activities involving hand contact.

ERC8D Wide dispersive outdoor use of processing aids in open systems

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Producer

Company name Novadan ApS

Postal address Platinvej 21

Postcode DK-6000

City Kolding

Country Danmark

Telephone number + 45 76 34 84 00

Fax + 45 75 50 43 70

Email <u>sds@novadan.dk</u>

Blanco Wash FR. - Version 2 Page 2 of 12

Website www.novadan.dk

1.4. Emergency telephone number

Emergency telephone Description: UK: NHS: 111

EI: National Poisons Information Centre, 24/7: 01 809 2166

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

[CLP / GHS]

Eye Irrit. 2; H319; Calculation method

Substance / mixture hazardous

properties

For further information, please refer to section 11.

Additional information on

classification

The informations stated in this MSDS, applies for the concentrated product. See

Sec. 16, for informations regarding recommended user solutions

2.2. Label elements

Hazard pictograms (CLP)



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice / attention.

2.3. Other hazards

Health effect See section 11 for additional information on health hazards.

Environmental effects This product does not contain any PBT or vPvB substances.

Other hazards No evidence for endocrine disrupting properties.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents	Notes
Sodium lauryl ether sulfate	CAS No.: 68891-38-3 EC No.: 500-234-8 REACH Reg. No.: 01-2119488639-16-xxxx	Eye Dam. 1; H318 Skin Irrit. 2; H315 Aquatic Chronic 3; H412 Additional information on classification: SCL: ≥5% Eye Irr. 2 ≥10% Eye Dam. 1	5 – 10 %	
Isotridecanolethoxylate	CAS No.: 69011-36-5	Acute tox. 4; H302	1 – 3 %	

Blanco Wash FR. - Version 2 Page 3 of 12

EC No.: n.a. Eye Dam. 1; H318

Additional information on classification: SCL: <10% Eye Irr.2; ≥10% Eye Dam. 1

Substance comments Regulation (EC) No 648/2004 of the European Parliament and of the Council of

31 March 2004 on detergents: 5-15%: anionic surfactant . <5%: nonionic surfactant .

<1%: preservative: Phenoxyethanol . perfume

The full text for all hazard statements is displayed in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General Remove affected person from source of contamination. Inhalation Fresh air. Get medical attention if any discomfort continues. Skin contact Rinse with water. Contact physician if discomfort continues. Eye contact Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids widely. If irritation persists: Seek medical attention and bring along these instructions. Ingestion Rinse mouth thoroughly with water and give large amounts of milk or water to people not unconscious. Get medical attention if any discomfort continues. Recommended personal Wear necessary protective equipment. For personal protection, see section 8. protective equipment for first aid

4.2. Most important symptoms and effects, both acute and delayed

Delayed symptoms and effects No known long term effects.

4.3. Indication of any immediate medical attention and special treatment needed

Sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

responders

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards

This product is not flammable. During fire, gases hazardous to health may be

formed.

5.3. Advice for firefighters

Blanco Wash FR. - Version 2 Page 4 of 12

Personal protective equipment

Wear necessary protective equipment. For personal protection, see section 8.

Fire fighting procedures

Reference is made to the company fire procedure. If risk of water pollution occurs, notify appropriate authorities. Avoid breathing fire vapours.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures Avoid contact with eyes.

6.2. Environmental precautions

Environmental precautionary

measures

Avoid discharge into water courses or onto the ground. Contact local authorities

in case of spillage to drain/aquatic environment.

6.3. Methods and material for containment and cleaning up

Cleaning method Dam and absorb spillage with sand, sawdust or other absorbent. Wash

contaminated area with water.

6.4. Reference to other sections

Other instructions See section 8 and section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling Avoid co

Avoid contact with eyes and prolonged skin contact. Use work methods which minimize spreading of vapours, dust, smoke, aerosols, splashes etc. to the extent

technically possible.

Protective safety measures

Advice on general occupational hygiene

Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.

Eating, smoking and water fountains prohibited in immediate work area.

Take off contaminated clothing and personal protective equipment before entering an eating area..

7.2. Conditions for safe storage, including any incompatibilities

Storage Store in tightly closed original container. Store above freezing. Store the product

away from direct sunlight in opaque containers.

Conditions for safe storage

Storage temperature Value: 0 – 35 °C.

Storage stability Durability: 36 months.

7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

Blanco Wash FR. - Version 2 Page 5 of 12

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

DNEL / PNEC

Substance Sodium lauryl ether sulfate

DNEL Group: Consumer

Route of exposure: Long term (repeated) – Dermal – Systemic effect

Value: 1650 mg/kg

Group: Worker

Route of exposure: Long term (repeated) – Inhalation – Systemic effect

Value: 175 mg/m3

Group: Consumer

Route of exposure: Long term (repeated) – Oral – Systemic effect

Value: 15 mg/kg

Group: Worker

Route of exposure: Long term (repeated) – Dermal – Systemic effect

Value: 2750 mg/kg

Group: Consumer

Route of exposure: Long term (repeated) – Inhalation – Systemic effect

Value: 52 mg/m3

Value: 0,071 mg/l

Reference: Intermittent release

PNEC Route of exposure: Freshwater sediments

Value: 5,45 mg/l

Route of exposure: Saltwater sediments

Value: 0,545 mg/l

Route of exposure: Soil Value: 0,946 mg/kg

Route of exposure: Sewage treatment plant STP

Value: 10000 mg/l

Route of exposure: Freshwater

Value: 0,24 mg/l

Route of exposure: Saltwater

Value: 0,024 mg/l

8.2. Exposure controls

Safety signs





Blanco Wash FR. - Version 2 Page 6 of 12

Precautionary measures to prevent exposure

Technical measures to prevent

exposure

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye / face protection

Suitable eye protection

Wear approved chemical safety goggles where eye exposure is reasonably

probable. EN 166.

Hand protection

Skin- / hand protection, long term

contact

Under normal conditions of use gloves are not normally required.

Skin protection

Additional skin protection

measures

No special precautions.

Respiratory protection

Respiratory protection necessary

at

Under normal conditions of use respiration protection should not be required.

Thermal hazards

Thermal hazards

None specific.

Appropriate environmental exposure control

Environmental exposure controls

See section 6.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Fluid.

Colour Green.

Odour Perfume.

Odour limit Comments: Not relevant.

pH Status: In delivery state

Value: ~ 7,5

Status: In aqueous solution

Value: ~ 7,5 Comments: 15°dH Concentration: 7 %

Melting point / melting range Comments: Not relevant.

Boiling point / boiling range Comments: Not relevant.

Flash point Comments: Not relevant.

Blanco Wash FR. - Version 2 Page 7 of 12

Evaporation rate Comments: Not relevant.

Flammability Not relevant.

Explosion limit Comments: Not relevant.

Vapour pressure Comments: Not relevant.

Vapour density Comments: Not relevant.

Bulk density Value: ~ 1,05 kg/l

Solubility Comments: Completely soluble in water.

Partition coefficient: n-octanol/

water

Comments: Not relevant.

Auto-ignition temperature Comments: Not relevant.

Decomposition temperature Comments: Not relevant.

Viscosity Value: < 50 mPas

Explosive properties Not explosive.

Oxidising properties Does not meet the criteria for oxidising.

9.2. Other information

9.2.2. Other safety characteristics

Comments No data recorded.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No information.

10.4. Conditions to avoid

Conditions to avoid No information.

10.5. Incompatible materials

Materials to avoid No information.

10.6. Hazardous decomposition products

Hazardous decomposition

products

In case of fire, toxic gases (CO, CO2, NOx) may be formed.

Blanco Wash FR. - Version 2 Page 8 of 12

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance Sodium lauryl ether sulfate

Acute toxicity Type of toxicity: Acute

> Effect tested: LD50 Route of exposure: Oral Value: > 5000 mg/kg Comments: OECD 401

Type of toxicity: Acute Effect tested: LD50

Route of exposure: Dermal **Value:** > 5000 mg/kg

Substance Isotridecanolethoxylate

Acute toxicity Type of toxicity: Acute

> Effect tested: LD50 Route of exposure: Oral Value: 500-2000 mg/kg Animal test species: Rat Test reference: OECD 423 Comments: Supplier MSDS

Other toxicological data Toxicological tests on the product has not been performed.

Other information regarding health hazards

Assessment of acute toxicity. No evidence for acute toxicity.

classification

Inhalation No known chronic or acute health risks.

Skin contact Skin irritation is not anticipated when used normally.

Eye contact Splashes will irritate and cause redness and pain.

Ingestion Ingestion may cause irritation of the gastrointestinal tract, vomiting and diarrhoea.

Sensitisation No evidence for respiratory nor skin sensitization.

Assessment of germ cell mutagenicity, classification

No evidence for germ cell mutagenicity.

Assessment of carcinogenicity,

classification

No evidence for carcinogenicity.

Assessment of reproductive

toxicity, classification

No evidence for reproductive toxicity.

Assessment of specific target organ toxicity - single exposure,

No evidence for STOT-single exposure.

classification

Assessment of specific target organ toxicity - repeated exposure,

No evidence for STOT-repeated exposure.

classification

Assessment of aspiration hazard,

classification

No evidence for aspiration hazard.

Blanco Wash FR. - Version 2 Page 9 of 12

Symptoms of exposure

Symptoms of overexposure No specific symptoms noted.

11.2 Other information

Endocrine disruption No evidence for endocrine disrupting properties.

SECTION 12: Ecological information

12.1. Toxicity

Substance Sodium lauryl ether sulfate

Aquatic toxicity, fish Value: 10 – 100 mg/l

Species: Leuciscus idus

Method: LC50

Test reference: DIN EN ISO 7346-2

Substance Isotridecanolethoxylate

Aquatic toxicity, fish Value: 1 – 10 mg/l

Test duration: 96h
Species: Cyprinus carpio
Method: LC50 – OECD TG 203

Substance Sodium lauryl ether sulfate

Aquatic toxicity, algae Value: > 100 mg/l

Species: Scenedesmus subspicatus

Method: EC50

Test reference: OECD Guideline 201

Substance Isotridecanolethoxylate

Aquatic toxicity, algae **Value:** 1 – 10 mg/l

Test duration: 72h

Species: Desmodesmus subspicatus **Method:** EC50 – OECD TG 201

Substance Sodium lauryl ether sulfate

Aquatic toxicity, crustacean Value: 10 – 100 mg/l

Species: Daphnia magna

Method: EC50

Test reference: OECD Guideline 202, del 1

Substance Isotridecanolethoxylate

Aquatic toxicity, crustacean Value: 1 – 10 mg/l

Test duration: 48h Species: Daphnia magna Method: EC50 – OECD TG 202

Ecotoxicity The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

Persistence and degradability description/evaluation

The product is easily biodegradable.

Blanco Wash FR. - Version 2 Page 10 of 12

Substance Isotridecanolethoxylate

Biodegradability Value: > 60%

Method: OECD 301B Test period: 28 d

Substance Isotridecanolethoxylate

Chemical oxygen demand (COD) Value: 2100 mg O2/g

12.3. Bioaccumulative potential

Bioaccumulation, evaluation The product is not bioaccumulating.

12.4. Mobility in soil

Mobility The product is water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Endocrine disrupting properties

Endocrine disrupting properties No evidence for endocrine disrupting properties.

12.7. Other adverse effects

Additional ecological information

For this product no classification is required for environmental hazards.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal Dispose of waste and residues in accordance with local authority requirements. - for the chemical

Appropriate methods of disposal for the contaminated packaging

Dispose unused product and the packaging in accordance with local

requirements.

EWC waste code: 0706 wastes from the MFSU of fats, grease, soaps,

detergents, disinfectants and cosmetics Classified as hazardous waste: Yes

EWL packing EWC waste code: 0706 wastes from the MFSU of fats, grease, soaps,

detergents, disinfectants and cosmetics Classified as hazardous waste: Yes

Other information When handling waste, consideration should be made to the safety precautions

applying to handling of the product. Waste code applies to product remnants in

pure form.

SECTION 14: Transport information

Dangerous goods

No

14.1. UN number

Blanco Wash FR. - Version 2 Page 11 of 12

Comments

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.2. UN proper shipping name

Comments Not relevant.

14.3. Transport hazard class(es)

Comments Not relevant.

14.4. Packing group

Comments Not relevant.

14.5. Environmental hazards

14.6. Special precautions for user

Special safety precautions for user Not relevant.

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Other label information

For professional users only.

Legislation and regulations

The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242), with amendments.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895). REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents.

15.2. Chemical safety assessment

Chemical safety assessment performed

No

SECTION 16: Other information

Blanco Wash FR. - Version 2 Page 12 of 12

List of relevant H-phrases (Section H302 Harmful if swallowed. 2 and 3) H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. Training advice No particular training or education is required but the user must be familiar with this SDS. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions. Additional information READY-TO-USE MIXTURE: 3-7% Does not require a hazard warning label. Information added, deleted or Relevant changes compared to the previous version of the safety data sheet are revised indicated with verticle lines in the left margin. Version 2 Prepared by

ALM