

SAFETY DATA SHEET

NOVADAN®

Novaclean

NOVADAN®

The safety data sheet is in accordance with Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Date issued 02.01.2012

Revision date 12.10.2020

1.1. Product identifier

Product name Novaclean

UFI 0470-E0J4-T00W-RNH5

Article no. 12431, 41124, 41125, 41126, 41165

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product group Alkaline heavy-duty cleaner.

Main intended use PC-CLN-10.1 Cleaners for kitchen areas

Secondary uses PC-CLN-12.3 Grout cleaners

Relevant identified uses
 SU1 Agriculture, forestry, fishery
 SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
 SU4 Manufacture of food products
 SU20 Health services
 SU22 Professional uses: publicly accessible (administration, education, entertainment, services, craftsmen)
 PC35 Washing and cleaning products (including solvent based products)
 PROC19 Manual activities involving hand contact.
 ERC8A Wide dispersive indoor use of processing aids in open systems
 ERC8D Wide dispersive outdoor use of processing aids in open systems

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Producer

Company name Novadan ApS

Postal address Platinvej 21

Postcode DK-6000

City Kolding

Country	Danmark
Telephone number	+ 45 76 34 84 00
Fax	+ 45 75 50 43 70
Email	sds@novadan.dk
Website	www.novadan.dk

1.4. Emergency telephone number

Emergency telephone	Description: UK: NHS: 111 EI: National Poisons Information Centre, 24/7: 01 809 2166
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP / GHS]	Skin Corr. 1B; H314; Calculation method Eye Dam. 1; H318; Calculation method
Substance / mixture hazardous properties	For further information, please refer to section 11.
Additional information on classification	The informations stated in this MSDS, applies for the concentrated product. See Sec. 16, for informations regarding recommended user solutions

2.2. Label elements

Hazard pictograms (CLP)



Composition on the label	Disodium metasilicate, pentahydrate
Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage.
Precautionary statements	P261 Avoid breathing spray/mist. P280 Wear protective gloves / protective clothing / eye protection / face protection. P303+P361+P353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor / physician.

2.3. Other hazards

Health effect	Corrosive to skin and eyes. May cause permanent damage to the eyes, especially if the product is not washed away IMMEDIATELY. See section 11 for additional information on health hazards.
Environmental effects	Substantial amounts of the product may lead to a local change in acidity in small water systems which may have adverse effects on aquatic organisms.

This product does not contain any PBT or vPvB substances.

SECTION 3: Composition / information on ingredients

3.2. Mixtures

Substance	Identification	Classification	Contents	Notes
Disodium metasilicate, pentahydrate	CAS No.: 10213-79-3 EC No.: 229-912-9 REACH Reg. No.: 01-2119449811-37-xxxx	Skin Corr. 1B; H314 Eye Dam. 1; H318 Met. Corr. 1; H290 STOT SE 3; H335	1 - 5 %	
beta.-Alanine, N-(2-carboxyethyl) -, N-coco alkyl derivs., disodium salts	CAS No.: 90170-43-7 EC No.: 290-476-8 REACH Reg. No.: 01-2119976233-35-XXXX	Eye Irrit. 2; H319	1 - 5 %	
Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride	CAS No.: 1554325-20-0	Acute tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318	1 - 5 %	
Alcohols C9-11-iso-, C10-rich, ethoxylated	CAS No.: 78330-20-8	Eye Dam. 1; H318 Acute Tox. 4; H302 Additional information on classification: SCL: ≤10% Eye Irr.2 >10% Eye Dam.1	1 - 5 %	
Substance comments	Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents: 5-15%: nonionic surfactant <5%: phosphates , cationic surfactant . The full text for all hazard statements is displayed in section 16.			

SECTION 4: First aid measures

4.1. Description of first aid measures

General	Remove affected person from source of contamination.
Inhalation	Move injured person into fresh air and keep person calm under observation. If uncomfortable: Seek hospital and bring these instructions.
Skin contact	Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water. Get medical attention if any discomfort continues.
Eye contact	Important! Immediately rinse with water for at least 15 minutes. May cause permanent damage if eye is not immediately irrigated. Make sure to remove any contact lenses from the eyes before rinsing. Immediately transport to hospital or eye specialist. Continue flushing during transport to hospital.
Ingestion	Immediately rinse mouth and drink plenty of water. Call an ambulance. Bring along these instructions. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Do not give victim anything to drink if he is unconscious.
Recommended personal protective equipment for first aid responders	Wear necessary protective equipment. For personal protection, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Acute symptoms and effects	Strongly corrosive. May cause deep tissue damage. Strongly corrosive. Causes severe burns and serious eye damage. Immediate first aid is imperative.
Delayed symptoms and effects	The etching penetrates deeply into the tissue and is first noticed after a while.

4.3. Indication of any immediate medical attention and special treatment needed

Other information	In case of unconsciousness, ingestion or eye contact: Immediately call a doctor / ambulance. Show this safety data sheet.
-------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
------------------------------	---

5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	This product is not flammable. During fire, gases hazardous to health may be formed. Water used for fire extinguishing, which has been in contact with the product, may be corrosive.
----------------------------	---

5.3. Advice for firefighters

Personal protective equipment	Wear necessary protective equipment. For personal protection, see section 8.
Fire fighting procedures	Reference is made to the company fire procedure. If risk of water pollution occurs, notify appropriate authorities. Avoid breathing fire vapours.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal protection measures	Look out! The product is corrosive. Use protective gloves, goggles and suitable protective clothing. In case of inadequate ventilation use suitable respirator. For personal protection, see section 8.
------------------------------	---

6.2. Environmental precautions

Environmental precautionary measures	Avoid discharge into water courses or onto the ground. Contact local authorities in case of spillage to drain/aquatic environment.
--------------------------------------	--

6.3. Methods and material for containment and cleaning up

Cleaning method	Dam and absorb spillage with sand, sawdust or other absorbent. Smaller quantities of residue may be collected by an absorbent. Wash contaminated area with water.
-----------------	---

6.4. Reference to other sections

Other instructions	See section 8 and section 13.
--------------------	-------------------------------

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling

Avoid spilling, skin and eye contact. Do not mix with acidic products. Use work methods which minimize spreading of vapours, dust, smoke, aerosols, splashes etc. to the extent technically possible.

Protective safety measures

Advice on general occupational hygiene

Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site.
Eating, smoking and water fountains prohibited in immediate work area.
Take off contaminated clothing and personal protective equipment before entering an eating area..

7.2. Conditions for safe storage, including any incompatibilities

Storage

Store in tightly closed original container. Keep away from food, drink and animal feeding stuffs. Store protected from acids. Store the product away from direct sunlight in opaque containers.

Conditions for safe storage

Storage temperature

Value: -5 - 25 °C

Storage stability

Durability: 36 months.

7.3. Specific end use(s)

Specific use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters comments

No data recorded.

DNEL / PNEC

Substance

Disodium metasilicate, pentahydrate

DNEL

Group: Professional

Route of exposure: Long-term inhalation (systemic)

Value: 6,22 mg/m³

Group: Consumer

Route of exposure: Long-term inhalation (systemic)

Value: 1,55 mg/m³

Group: Consumer

Route of exposure: Long-term oral (systemic)

Value: 0,74 mg/kg bw/d

Group: Professional

Route of exposure: Long-term dermal (systemic)

Value: 1,49 mg/kg bw/d

	<p>Group: Consumer Route of exposure: Long-term dermal (systemic) Value: 0,74 mg/kg bw/d</p>
PNEC	<p>Route of exposure: Freshwater Value: 7,5 mg/l</p> <p>Route of exposure: Saltwater Value: 1 mg/l</p> <p>Route of exposure: Water Value: 7,5 mg/l</p> <p>Route of exposure: Sewage treatment plant STP Value: 1000 mg/l</p>
Substance	beta.-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts
DNEL	<p>Group: Professional Route of exposure: Lang sigt (gentages) - Indånding - Systemisk virkning Value: 980 mg/m³</p> <p>Group: Professional Route of exposure: Lang sigt (gentages) - Dermal - Systemisk virkning Value: 2,67 mg/kg</p>
PNEC	<p>Route of exposure: Water Value: 0,1 mg/L</p> <p>Route of exposure: Sewage treatment plant STP Value: 0,3 mg/L</p> <p>Route of exposure: Saltwater Value: 0,01 mg/L</p> <p>Route of exposure: Freshwater Value: 0,1 mg/L</p>

8.2. Exposure controls

Safety signs



Precautionary measures to prevent exposure

Technical measures to prevent exposure

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. An eye wash bottle must be available at the work site.

Eye / face protection

Suitable eye protection

Wear approved safety goggles. EN 166.

Hand protection

Skin- / hand protection, long term contact	Use protective gloves made of: Butyl rubber. $\geq 0,5$ mm Neoprene. $\geq 0,5$ mm Nitrile. $\geq 0,4$ mm EN 374.
Breakthrough time	Value: ≥ 480 minute(s)
Hand protection, comments	Manufacturer's directions for use should be observed because of great diversity of types. The recommendation is a qualified estimate based on knowledge of the components.

Skin protection

Additional skin protection measures Wear apron or protective clothing in case of splashes. Wear rubber footwear.

Respiratory protection

Respiratory protection necessary at Under normal conditions of use respiration protection should not be required. In case of inadequate ventilation use suitable respirator. Use respiratory equipment with particle filter, type P2. EN 143/EN149.

Thermal hazards

Thermal hazards None specific.

Appropriate environmental exposure control

Environmental exposure controls See section 6.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Fluid.
Colour	Yellowish.
Odour	No characteristic odour.
pH	Status: In delivery state Value: $\sim 13,0$ Status: In aqueous solution Value: $\sim 11,0$ Comments: 15°dH Concentration: 2 % Status: In aqueous solution Value: $\sim 11,5$ Comments: 15°dH Concentration: 4 %
Melting point / melting range	Comments: Not relevant.
Boiling point / boiling range	Comments: Not relevant.

Evaporation rate	Comments: Not relevant.
Explosion limit	Comments: Not relevant.
Vapour pressure	Comments: Not relevant.
Bulk density	Value: ~ 1,05 kg/l
Solubility	Comments: Completely soluble in water.
Partition coefficient: n-octanol/ water	Comments: Not relevant.
Decomposition temperature	Comments: Not relevant.
Viscosity	Value: < 50 mPas
Explosive properties	Not explosive.
Oxidising properties	Does not meet the criteria for oxidising.

9.2. Other information

Other physical and chemical properties

Comments	No data recorded.
----------	-------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable under normal temperature conditions and recommended use.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Reacts violently with strong acids. Risk of bumping (splashes).
------------------------------------	---

10.4. Conditions to avoid

Conditions to avoid	Heating. Extremes of temperatures. Avoid contact with acids.
---------------------	--

10.5. Incompatible materials

Materials to avoid	Strong acids. Acids, oxidising. Alkali-sensitive metals such as aluminium, tin, lead and zinc and alloys with these metals.
--------------------	---

10.6. Hazardous decomposition products

Hazardous decomposition products	In case of fire, toxic gases (CO, CO ₂ , NO _x) may be formed.
----------------------------------	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Substance	Disodium metasilicate, pentahydrate
Acute toxicity	<p>Effect tested: LD50 Route of exposure: Oral Value: 1152 -1349 mg/kg Animal test species: Rat</p> <p>Effect tested: LC50 Route of exposure: Inhalation. Value: > 2,06 g/m3 Animal test species: Rat</p> <p>Effect tested: LD50 Route of exposure: Dermal Value: > 5000 mg/kg</p>
Substance	Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride
Acute toxicity	<p>Type of toxicity: Acute Effect tested: LD50 Route of exposure: Oral Value: 300-2000 mg/kg Animal test species: Rat</p>
Substance	Alcohols C9-11-iso-, C10-rich, ethoxylated
Acute toxicity	<p>Type of toxicity: Acute Effect tested: LD50 Route of exposure: Oral Value: 500-2000 mg/kg Animal test species: Rat</p> <p>Type of toxicity: Acute Effect tested: LD50 Route of exposure: Dermal Value: > 4000 mg/kg Animal test species: Rat</p>
Other toxicological data	Toxicological tests on the product has not been performed.

Other information regarding health hazards

Assessment of acute toxicity, classification	No evidence for acute toxicity.
Inhalation	Aerosols may be corrosive. Inhalation may cause: Serious damage to the lining of nose, throat and lungs.
Skin contact	Strongly corrosive. May cause deep tissue damage.
Eye contact	Strongly corrosive. Causes severe burns. Immediate first aid is imperative. May cause permanent damage to the eyes, especially if the product is not washed away IMMEDIATELY.
Ingestion	Strongly corrosive. Even small amounts may be fatal. Symptoms are severe burning pains in mouth, throat and stomach.

Sensitisation	No evidence for respiratory nor skin sensitization.
Assessment of germ cell mutagenicity, classification	No evidence for germ cell mutagenicity.
Assessment of carcinogenicity, classification	No evidence for carcinogenicity.
Assessment of reproductive toxicity, classification	No evidence for reproductive toxicity.
Assessment of specific target organ toxicity - single exposure, classification	No evidence for STOT-single exposure.
Substance	Disodium metasilicate, pentahydrate
Specific target organ toxicity - repeated exposure, test results	Method: NOAEL Route of exposure: Oral Dose: 227 mg/kg bw /d Species: Rat Evaluation result: Negative.
Assessment of specific target organ toxicity - repeated exposure, classification	No evidence for STOT-repeated exposure.
Assessment of aspiration hazard, classification	No evidence for aspiration hazard.

Symptoms of exposure

Endocrine disruption	No evidence for endocrine disrupting properties.
----------------------	--

SECTION 12: Ecological information

12.1. Toxicity

Substance	Disodium metasilicate, pentahydrate
Aquatic toxicity, fish	Toxicity type: Acute Value: 210 mg/l Test duration: 96 hour(s) Species: Brachydanio rerio
Substance	Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride
Aquatic toxicity, fish	Value: > 10 - 100 mg/l. Test duration: 96h Species: Fish Method: LC50
Substance	Alcohols C9-11-iso-, C10-rich, ethoxylated
Aquatic toxicity, fish	Value: 100 mg/l Test duration: 96h Species: Leuciscus idus Method: LC50
Substance	Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride
Aquatic toxicity, algae	Value: > 1 - 10 mg/l. Test duration: 72h

	Species: Alge Method: EC50
Substance	Alcohols C9-11-iso-, C10-rich, ethoxylated
Aquatic toxicity, algae	Value: 10 - 100 mg/l Test duration: 72h Method: EC50
Substance	Disodium metasilicate, pentahydrate
Aquatic toxicity, crustacean	Toxicity type: Acute Value: 1700 mg/l Test duration: 48 hour(s) Species: Daphnia magna Method: EC50
Substance	Quaternary C12-14 alkyl methyl amine ethoxylate methyl chloride
Aquatic toxicity, crustacean	Value: > 1 - 10 mg/l. Test duration: 48h Species: Dafnie Method: EC50
Substance	Alcohols C9-11-iso-, C10-rich, ethoxylated
Aquatic toxicity, crustacean	Value: 10 - 100 mg/l Test duration: 48h Method: EC50
Ecotoxicity	Large amounts of the product may affect the acidity (pH-factor) in water with possible risk of harmful effects to aquatic organisms.

12.2. Persistence and degradability

Persistence and degradability description/evaluation The product is easily biodegradable.

Substance Alcohols C9-11-iso-, C10-rich, ethoxylated

Biodegradability **Value:** ≥ 90 %
Method: OECD 301E

12.3. Bioaccumulative potential

Bioaccumulation, evaluation The product is not bioaccumulating.

12.4. Mobility in soil

Mobility The product is water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

Potential endocrine disruptor Comments: No evidence for endocrine disrupting properties.

Additional ecological information None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate methods of disposal for the chemical	Do not empty into drains; dispose of this material and its container at hazardous or special waste collection point. Dispose of waste and residues in accordance with local authority requirements. -
Appropriate methods of disposal for the contaminated packaging	Dispose unused product and the packaging in accordance with local requirements. Empty containers are rinsed with plenty of water and disposed to normal or commercial waste.
EWC waste code	EWC waste code: 0706 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics Classified as hazardous waste: Yes
EWL packing	EWC waste code: 0706 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics Classified as hazardous waste: Yes
Other information	When handling waste, consideration should be made to the safety precautions applying to handling of the product. Waste code applies to product remnants in pure form.

SECTION 14: Transport information

Dangerous goods	No
-----------------	----

14.1. UN number

ADR/RID/ADN	1719
IMDG	1719
ICAO/IATA	1719

14.2. UN proper shipping name

Proper shipping name English ADR/RID/ADN	CAUSTIC ALKALI LIQUID, N.O.S.
Technical name/Danger releasing substance English ADR/RID/ADN ADR/RID/ADN	Disodium Trioxosilicate CAUSTIC ALKALI LIQUID, N.O.S.
Technical name/danger releasing substance ADR/RID/ADN	Disodium Trioxosilicate
IMDG	CAUSTIC ALKALI LIQUID, N.O.S.
Technical name/danger releasing substance IMDG	Disodium Trioxosilicate
ICAO/IATA	CAUSTIC ALKALI LIQUID, N.O.S.
Technical name/danger releasing substance ICAO/IATA	Disodium Trioxosilicate

14.3. Transport hazard class(es)

ADR/RID/ADN	8
Classification code ADR/RID/ADN	C5
IMDG	8
ICAO/IATA	8

14.4. Packing group

ADR/RID/ADN	III
IMDG	III
ICAO/IATA	III

14.5. Environmental hazards

IMDG Marine pollutant	No
-----------------------	----

14.6. Special precautions for user

Special safety precautions for user Not relevant.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Product name	CAUSTIC ALKALI LIQUID, N.O.S.
--------------	-------------------------------

Additional information

Hazard label ADR/RID/ADN	8
Hazard label IMDG	8
Hazard label ICAO/IATA	8

ADR/RID Other information

Tunnel restriction code	E
Transport category	3
Hazard No.	80
Other applicable information ADR/ RID	80

IMDG Other information

EmS	F-A, S-B
-----	----------

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Other label information	For professional users only. As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the
-------------------------	--

dangerous properties of the product and the necessary safety instructions.

Legislation and regulations

The Management of Health and Safety at Work Regulations 1999 (SI 1999 No. 3242), with amendments.
 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.
 The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895).
 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents.

15.2. Chemical safety assessment

Chemical safety assessment performed No

SECTION 16: Other information

List of relevant H-phrases (Section 2 and 3)

H290 May be corrosive to metals.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

Training advice

No particular training or education is required but the user must be familiar with this SDS. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

Additional information

READY-TO-USE MIXTURE: 1-3% Does not require a hazard warning label.
 READY-TO-USE MIXTURE: 4% H314 Causes severe skin burns and eye damage.

Information added, deleted or revised

Relevant changes compared to the previous version of the safety data sheet are indicated with verticle lines in the left margin.

Version

2

Prepared by

MP