

Midra Timro S.R.L.
Strada Colonel Ștefan Stoica 2A
RO - Sector 1 București

Bremen, 31/08/2020

Summary: Virus-inactivating properties (virucidal) of PERAL S of Midra Timro S.R.L. in a quantitative suspension test according to EN 14476:2013+A2:2019 under dirty conditions

This summary is based on the following test reports of Dr. Brill + Partner GmbH for the surface disinfectant PERAL S produced by Midra Timro S.R.L.:

adenovirus type 5 test report (L20/0924A.2) dating 31/08/2020
murine norovirus test report (L20/0924M.2) dating 31/08/2020
poliovirus type 1 test report (L20/0924Po.2) dating 26/08/2020

The following concentration and exposure time are necessary for the inactivation of the three test viruses:

1.0 % 15 minutes

in order to achieve a 4 log₁₀ reduction (inactivation ≥ 99.99 %) under dirty conditions in a quantitative suspension test according to EN 14476:2013+A2:2019.

After evaluation with adenovirus type 5, MNV and poliovirus type 1 the surface disinfectant PERAL S can be declared as having "**virucidal activity**" according to EN 14476:2013+A2:2019.

Therefore, after successful experiments with the three above mentioned non-enveloped viruses the test product is also effective against the so-called blood-borne viruses including HBV, HCV and HIV as well as against members of other virus families such as orthomyxoviridae (incl. all human and animal influenza viruses like H5N1 and H1N1), coronaviridae (like MERS-CoV, SARS-CoV-1 and SARS-CoV-2) and filoviridae including Ebola virus (see list at the end, literary quotation).

Dr. Jochen Steinmann

From Annex A in EN 14476

Examples of viruses which may contaminate human medical instruments, hands, surfaces (*Enveloped viruses are in bold*)

NOTE This list is not exhaustive.

Blood

Enterovirus

Filoviridae

Flavivirus

Herpesviridae

Hepatitis A Virus (HAV)

Hepatitis B virus (HBV)

Hepatitis C virus (HCV)

Hepatitis Delta virus (HDV)

Human Immunodeficiency Virus (HIV)

Human T Cell Leukemia Virus (HTLV)

Parvovirus B 19

Respiratory tract

Adenovirus (Mast-)

Coronavirus

Enterovirus

Herpesviridae

Influenza Virus

Paramyxoviridae

Rhinovirus

Rubella Virus

Neural tissue, ear & nose, eye

Adenovirus (Mast-)

Enterovirus

Herpesviridae

Measles Virus

Human Immunodeficiency Virus (HIV)

Polyomavirus

Rabies Virus

Rubella Virus

Gastro-intestinal

Adenovirus (Mast-)

Caliciviridae

Coronavirus

Astrovirus

Enterovirus

Hepatitis A Virus (HAV)

Hepatitis E Virus (HEV)

Rotavirus

Skin, breast and/or milk

Enterovirus

Herpesviridae

Human Immunodeficiency Virus (HIV)

Human T Cell Leukemia Virus (HTLV)

Papillomavirus

Poxviridae

Spleen and lymph nodes (see also „Blood“)

Human T Cell Leukemia Virus (HTLV)

Human Immunodeficiency Virus (HIV)

Dental procedure

Adenovirus (Mast-)

Enterovirus

Herpesviridae

Hepatitis B virus (HBV)

Hepatitis C Virus (HCV)

Hepatitis Delta Virus (HDV)

Human Immunodeficiency Virus (HIV)

Urogenital tract

Hepatitis B Virus (HBV)

Herpesviridae

Human Immunodeficiency Virus (HIV)

Human T Cell Leukemia Virus (HTLV)

Papillomavirus

Polyomavirus

Reference:

Van Regenmortel MHV et al., Eds.: Virus Taxonomy, Classification and Nomenclature of Viruses, seventh report of the international committee on taxonomy of viruses.

Academic Press, San Diego, 2000